

200000034

THE UNIVERD SHAVES OF AMERICA

Hinneer Hi-Bred International, Inc.

THECENS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW. THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE SHIT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR VIING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE URPOSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PAY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'92B74'

In Testimony Mercest, I have hereunto set my hand and caused the seal of the Plant Bariety Irotection Office to be affixed at the City of Washington, D.C. this twenty-fourth day of April, in the year of our Lord two thousand one.

alunk fort

Acting Commissioner Plant Variety Protection Office Agricultural Marketing Service Agriculture

REPRODUCE LOCALLY. Include form number and date on	all reproductions.			FORM APPROVED - OMB NO. 0581-0055			
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION - PLANT VARIETY PROTECTION OFFICE APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE			The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a).				
(Instructions and information collection burden statement on reverse)			Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).				
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)			2. EXPERIMENTAL NUMBER 3. VARIETY NAME				
Pioneer Hi-Bred International, Inc.				92B74			
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and	ad Country)		5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY			
G000 NW 60 1 4			515-270-3582	PVPO NUMBER			
7300 NW 62nd Ave P.O. Box 1004			Luz.	000034			
Johnston, Iowa 50131-1004			6. FAX (include area code)				
			515-253-2288				
7. GENUS AND SPECIES NAME	8. FAMILY NAME	(Botanica	n	N VOIL 99			
Glycine max L.		uminosae	,	FILING AND EXAMINATION FEE			
		Juminosae		JE 2430			
9. CROP KIND NAME (Common name)				5 3 3 3 3 3 3			
Soybean				CERTIFICATION FEE			
10. IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF ORGA Corporation	ANIZATION (corporation, p	partnership, ass	ociation, etc.) (Common name)	1 2 2 0 00			
11. IF INCORPORATED, GIVE STATE OF INCORPORATION			12. DATE OF INCORPORATION				
lowa		j	May 6, 1926	° 3/26/A.			
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, T	O SERVE IN THIS APPL	ICATION AND	RECEIVE ALL PAPERS	14. TELEPHONE (include area code)			
John Grace	Tean B	romert (Co	27/	515-270-3582			
7300 NW 62nd Ave.		NW 62nd A	• •				
P.O. Box 1004	P.O. B	ox 1000		15. FAX (include area code)			
1.0.2			0131-1000	515-253-2288			
16. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (F a. Exhibit A. Origin and Breeding History of the Variety b. Exhibit B. Statement of Distinctness c. Exhibit C. Objective Description of the Variety d. Exhibit D. Additional Description of the Variety e. Exhibit E. Statement of the Basis of the Applicant's Ownerst f. Voucher Sample (2,600 viable untreated seeds or, for tuber p g. Filing and Examination Fee (\$2450), made payable to "Treasu	hîp propagated varieties ve urer of the United States	rification that s" (Mail to	PVPO)				
17. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOL				n 83(a) of the Plant Variety Protection Act)?			
YES If "yes," answer items 18 and 19 below) 18. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIM	ITED AS TO NUMBER (If "no," go		F PRODUCTION BEYOND BREEDER SEED?			
GENERATIONS? YES NO			FOUNDATION REGISTER				
20. HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEE	EN RELEASED. USED. O	FFERED FOR					
YES (If "yes," give names of countries and dates)	₩ NO		,				
21. The applicant(s) declare that a viable sample of basic seed of the varia applicable, or for a tuber propagated variety a tissue culture will be de	ety will be furnished wit	h application	and will be replenished upon request i	n accordance with such regulations as may be			
The undersioned applicant(s) is/are) the owner(s) of this sexually repr	roduced or tuber propag	nated plant va	riety, and helieve(s) that the variety is				
Section 41, and is entitled to protection under the provisions of Section	on 42 of the Plant Variet	y Protection .	Act.	new. Distance Shiftonin, and Stable as required			
Applicant(s) is(are) informed that false representation herein can Jeop	ardize protection and re	·					
SIGNATURE OF APPLICANT/Owner(s)		SIGNATURE	OF APPLICANT (Owner(s))				
Name (Please print or type)		Name (Plea	ase print or type)				
D. John Grace III							
SAPACITY OR TITLE DATE Sowhean Research Coordinator		CAPACITY O	RTITLE	DATE			
Soybean Research Coordinator	15/77						
SD-470 (04-95) (Previous editions are to be destroyed)			(See reverse for instructions and	Information collection burden statement)			

Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 92B74

Variety 92B74 evolved from a 1994 cross of ST2660*(Midwest Oilseeds experimental MO12557*(ST2250*(9392*(9392/40-3-2))))

It is an F3-derived variety which was advanced to the F3 generation by modified single seed descent. The F4 progeny row of 92B74 was grown in the winter of 1995. Subsequently, 92B74 has undergone three years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. On the basis of yield potential and resistance to labeled rates of Roundup brand herbicides variety 92B74 was assigned a commercial number.

The purification block was grown during the summer of 1997 and 71 sublines were bulked for increase. Five acres of 92B74 (breeders seed) were grown in winter of 1997-98. Two hundred fifteen acres of parent seedstock (foundation seed equivalent) were grown in the summer or 1998 and approximately 11,300 bushels harvested.

Exhibit B. Statement of Distinctness

Soybean Variety 92B74

Variety 92B74 is most similar to Stine 2870. Both have white flowers, light tawny pubescence and yellow seeds with brown hila. Additionally, both are resistant to race 1 of *Phytophthora megasperma* var. sojae. However, 92B74 is resistant to labeled rates of Roundup brand herbicides whereas Stine 2870 is susceptible.

Variety 92B74 is also similar to Pioneer 92B71. However, 92B74 has light tawny pubescence and 92B71 has tawny pubescence. Additionally, 92B74 has low seed protein peroxidase activity and 92B71 has high seed protein peroxidase activity.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SEED DIVISION - PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY

	EAN (Glycine max L.)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.		92B74
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code)		FOR OFFICIAL USE ONLY
7300 N.W. 62nd Ave., P.O. Box 1004		PVPO NUMBER
Johnston, IA 50131-1004		20000034
Choose the appropriate response which characterizes the variety in the number of boxes provided, place a zero on the first box when number adequate soybean variety description. Other characters should be d	mber is 9 or less (e.g., 0 9). Sta	urred characters 🛨 are considered fundamental to an
1. SEED SHAPE:		
1 L	W T	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.	.2) 2 = Spheric	al Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	-	e Flattened (L/T ratio > 1.2; T/W > 1.2)
* a CEED COAT COLOR. (M-1	· ··	
★ 2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Sp	pecify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton')	2 = Shiny ('Nebsoy'; 'G	2004 17°)
1 - Doll (Colsoy 77, Bidxion)		asoy (1)
★ 4. SEED SIZE: (Mature Seed)		
1 6 Grams per 100 seeds		
4		
★ 5. HILUM COLOR: (Mature Seed)		
3 1 = Buff 2 = Yellow 3 = Brown 4 = Gray	5 = Imperfect Black 6 = E	Black 7 = Other (Specify)
★ 6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 1 = Low 2 = High		
★ 8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 a) 2 = Type	pe B (SP1 b)	
★ 9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis')	2 = Green with bron	nze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson	'; 'Pickett 71')	
4 = Dark Purple extending to unifoliate leav	ves ('Hodgson'; 'Coker Hampton	1 266A')
★ 10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 =	Ovate 4 = Other (Spec	ify)
FORM LMGS-470-57 (6-83) (Edition of 2-82 is obsolete	· · · · · · · · · · · · · · · · · · ·	Page 1 of 4

Variety Name 92B74

11. LEAFLET SIZE: 2 3 = Small (Amsoy 71; 'A5312') 3 = Large (Crawford; 'Tracy') 2 = Medium ('Corsoy 79; 'Gasoy 17') 3 = Large (Crawford; 'Tracy') 2 = Medium Green ('Corsoy 79; 'Braxton') 3 = Dark Green ('Mobar; 'York') 3 = Dark Green ('Gonore'; 'Tracy') 2 = Medium Green ('Corsoy 79; 'Braxton') 3 = Dark Green ('Gonore'; 'Tracy') 2 = Medium Green ('Corsoy 79; 'Braxton') 3 = Dark Green ('Gonore'; 'Tracy') 3 = Whilte with purple throat 1 = Tan			
2	•••	2 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17')	
1 1 = White 2 = Purple 3 = White with purple throat 1 1 - Tan 2 = Brown 3 = Black 1 1 - Tan 2 = Brown 3 = Black 1 15 - PLANT PUBES Color (PLANS) Color		1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton')	
★ 14, POD COLOR: 1 1 = Tan 2 = Brown 3 = Black ★ 15, PLANT PUBSECENCE COLOR: 1 1 = Gray 2 = Brown (Tawny) (Light Tawny) 16, PLANT TYPES: 2 1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan') ★ 17, PLANT HABIT: 3 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') ★ 18, MATURITY GROUP: 0 5 1 = 000 2 = 00 3 = 0 4 = 1 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ★ 19, DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ★ 0 Bacterial Blight (*Pseudomonas phaseoli var. sojensis) ★ 1 Bacterial Blight (*Pseudomonas glycinea) ★ 0 Wildfire (*Pseudomonas tabacl) FUNGAL DISEASES: ★ 1 Brown Spot (*Septoria glycinea) ★ 0 Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Specify) 0 Target Spot (*Corymespora cassilicola) 0 Downy Mildew (*Peronospora trifoliorum var. manshurica) 0 Powdery Mildew (*Microsphaera diffusa) ★ 1 Brown Stem Rot (*Cephalosporium gregatum)	*	13. FLOWER COLOR:	_
1 1= Tan 2 = Brown 3 = Black 15. PLANT PUBS cENCE COLOR: (1/2 logs) 1 = Gray 2 = Brown (Tawny) 16. PLANT TYPES: 2 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan') 17. PLANT HABIT: 3 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') 18. MATURITY GROUP: 0 5 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X 19. DISEASE REACTION: (Enter 0 = Not Testad; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: 1		1 1 = White 2 = Purple 3 = White with purple throat	
* 15. PLANT PUBSECENCE COLOR: If (2023) 2 1 = Gray 2 = Brown (Tawny) (Light Tawny) 16. PLANT TYPES: 2 1 = Stender ("Essex"; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan') * 17. PLANT HABIT: 3 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') * 18. MATURITY GROUP: 0 5 1 = 000 2 = 00 3 = 0 4 = 1 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X * 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: * 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) * 1 Bacterial Blight (Pseudomonas tabaci) FUNGAL DISEASES: * 1 Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora solina) Frogeye Leaf Spot (Cercospora solina) Target Spot (Corymespora cassificola) O Downy Mildew (Peronospora trifoliorum var. manshurica) Powdery Mildew (Microsphaera diffusa) Powdery Mildew (Microsphaera diffusa) Brown Stem Rot (Cephalosporium gregatum) Brown Stem Rot (Cephalosporium gregatum)	\star	14. POD COLOR:	
1			
2	*	15. PLANT PUBLICATION (BT: Cl. 4/2003) A 2 1 = Gray 2 = Brown (Tawny) (Light Tawny)	
3 = Bushy ('Gnome'; 'Govan') 17. PLANT HABIT: 3		16. PLANT TYPES:	_
1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') 18. MATURITY GROUP: 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: 10. Bacterial Pustule (Xanthomonas phaseoli var. sojensis) 11. Bacterial Blight (Pseudomonas glycinea) 12. Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: 13. Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) 14. Race 1		intermediate (Amor)	
1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') 18. MATURITY GROUP: 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: 10. Bacterial Pustule (Xanthomonas phaseoli var. sojensis) 11. Bacterial Blight (Pseudomonas glycinea) 12. Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: 13. Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) 14. Race 1	*	17. PLANT HABIT;	_
0 5 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ★		3 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will')	
0 5 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ★	*	40 MATURITY CROUD.	_
9 = VI 10 = VII 11 = VIII 12 = IX 13 = X 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: 1 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) 1 Bacterial Blight (Pseudomonas glycinea) 1 Bacterial Blight (Pseudomonas tabaci) FUNGAL DISEASES: 1 Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) 1 Daget Spot (Corynespora cassiicola) O Downy Mildew (Peronospora trifoliorum var. manshurica) Powdery Mildew (Microsphaera diffusa) Brown Stem Rot (Cephalosporium gregatum)	Ĉг	0 5	
19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: *** 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) *** 1 Bacterial Blight (Pseudomonas glycinea) *** 0 Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: *** 1 Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) *** 0 Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Specify) 0 Target Spot (Corynespora cassiicola) 0 Downy Mildew (Peronospora trifoliorum var. manshurica) 0 Powdery Mildew (Microsphaera diffusa) *** 1 Brown Stem Rot (Cephalosporium gregatum)	L	1 - 000 2 - 00 3 - 0 4 - 1 5 - 11 0 - 11 7 - 1V 8 = V	
BACTERIAL DISEASES: *** 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) *** 1 Bacterial Blight (Pseudomonas glycinea) *** 0 Wildfire (Pseudomonas tabact) FUNGAL DISEASES: *** 1 Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) *** 0 Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Specify) 0 Target Spot (Corynespora cassiicola) 0 Downy Mildew (Peronospora trifoliorum var. manshurica) 0 Powdery Mildew (Microsphaera diffusa) *** 1 Brown Stem Rot (Cephalosporium gregatum)		9 = V1 $10 = V11$ $11 = V111$ $12 = 1X$ $13 = X$	
★ ① Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ★ ① Bacterial Blight (Pseudomonas glycinea) ★ ② Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: ★ ① ★ ① Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) ★ ② Race 1 ② Race 2 ② Race 3 ② Race 4 ② Race 5 ③ Other (Specify) Target Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum var. manshurica) Powdery Mildew (Microsphaera diffusa) ★ ② Brown Stem Rot (Cephalosporium gregatum)	*	19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
★ ① Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ★ ① Bacterial Blight (Pseudomonas glycinea) ★ ② Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: ★ ① ★ ① Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) ★ ② Race 1 ② Race 2 ② Race 3 ② Race 4 ② Race 5 ③ Other (Specify) Target Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum var. manshurica) Powdery Mildew (Microsphaera diffusa) ★ ② Brown Stem Rot (Cephalosporium gregatum)		BACTERIAL DISEASES:	
★ 0 Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: ★ 1 Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) ★ 0 Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Specify) 0 Target Spot (Corynespora cassiicola) 0 Downy Mildew (Peronospora trifoliorum var. manshurica) 0 Powdery Mildew (Microsphaera diffusa) ★ 1 Brown Stem Rot (Cephalosporium gregatum)		-L [0]	
FUNGAL DISEASES: * 1 Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) * 0 Race 1		★ 1 Bacterial Blight (Pseudomonas glycinea)	
# 1 Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) # 0 Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Specify) Target Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum var. manshurica) Powdery Mildew (Microsphaera diffusa) # 1 Brown Stem Rot (Cephalosporium gregatum)		★ 0 Wildfire (Pseudomonas tabaci)	
Frogeye Leaf Spot (Cercospora sojina) ***		FUNGAL DISEASES:	
★ 0 Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Specify) 0 Target Spot (Corynespora cassiicola) 0 Downy Mildew (Peronospora trifoliorum var. manshurica) 0 Powdery Mildew (Microsphaera diffusa) ★ 1 Brown Stem Rot (Cephalosporium gregatum)		Brown Spot (Septona glycines)	
Target Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum var. manshurica) Powdery Mildew (Microsphaera diffusa) Brown Stem Rot (Cephalosporium gregatum)		Frogeye Leaf Spot (Cercospora sojina)	
Downy Mildew (Peronospora trifoliorum var. manshurica) Powdery Mildew (Microsphaera diffusa) Brown Stem Rot (Cephalosporium gregatum)		Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Specify)	
Powdery Mildew (Microsphaera diffusa) * I Brown Stem Rot (Cephalosporium gregatum)		Target Spot (Corynespora cassiicola)	
Powdery Mildew (Microsphaera diffusa) ** I Brown Stem Rot (Cephalosporium gregatum)		Downy Mildew (Peronospora trifoliorum var. manshurica)	
		Powdery Mildew (Microsphaera diffusa)	
O Stem Canker (Diaporthe phaseolorum var. caulivora)		★ 1 Brown Stem Rot (Cephalosporium gregatum)	
		O Stem Canker (Diaporthe phaseolorum var. caulivora)	_

Variety Name 9	2B74
----------------	------

19.	DIŞE	ASES REACTION: (E	Enter 0 = Not Tested; 1 = Susceptible; 2:	= Resistant) (Continued)							
	Fl	FUNGAL DISEASES: (Continued)									
*	1	Pod and Stem Blight (Diaporthe phaseolorum var; sojae)									
	0	Purple Seed Stain (Cercospora kikuchii)									
	1	Rhizoctonia Root Rot (Rhizoctonia solani)									
		Phytophthora Rot (Phytophthora megasperma var. sojae)									
*	2	Race 1 0 Race 2 1 Race 3 0 Race 4 1 Race 5 0 Race 6 1 Race 7									
	0	Race 8 0 Race 9 0 Other (Specify)									
	VI	VIRAL DISEASES:									
	1	Bud Blight (Tobacco Ringspot Virus)									
	1	Yellow Mosaic (Bean Yellow Mosaic Virus)									
*	1	Cowpea Mosaic (Cow	pea Chlorotic Virus)								
		Pod Mottle (Bean Pod	Mottle Virus)		·						
*		Seed Mottle (Soybean	Mosaic Virus)								
	NE	MATODE DISEASES:									
		Soybean Cyst Nematode (Heterodera glycines)									
*		Race 1 0 Race 2 0 Race 3 0 Race 4 0 Other (Specify)									
		Lance Nematode (Hoplolaimus Colombus)									
*		Southern Root Knot Nematode (Meloidogyne incognita)									
*		Northern Root Knot No	ematode (Meloidogyne Hapla)								
		Peanut Root Knot Nem	natode (Meloidogyne arenaria)								
		Reniform Nematode (Rotylenchulus reniformis)									
	0	OTHER DISEASE NOT ON FORM (Specify)									
20 .	PHYS	IOLOGICAL RESPON	SES: (ENTER 0 = Not tested, 1 = Suscept	tible, 2 = Resistant)							
*	0	Iron Chlorosis on Calca	areois Soil								
	0	Other (Specify)									
21.	21. INSECT REACTION: (ENTER 0 = Not tested, 1 = Susceptible, 2 = Resistant)										
	0	Mexican Bean Beetle (Epilachna Varivestis)									
	0	Potato Leaf Hopper (En									
	Other (Specify)										
22. I	22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.										
CHARACTER NAME OF VARIETY CHARACTER NAME OF VAR											
	Plant Shape		92B71	Seed Coat Luster	92B71						
	Leaf S	Shape	92B71	Seed Size	92B71						
	Leaf C	Color	92B71	Seed shape	92B52						
Leaf Size		ize	92B71	Seedling Pigmentation	92B51						

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	DAYS LO	PLANT LODGING	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.
		SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	G/100 SEED	SEEDS POD
Submitted 92B74	125.6	2.3	78.0			34.6	18.9	15.5	3
Name of Similar Variety 92B71	126.3	1.6	81.5			35.8	18.0	15.5	3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop. Sci., 13: 420-421
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1:1-19

Exhibit D. Additional Description of the Variety

Soybean Variety 92B74

In Exhibit C we have identified variety 92B74 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle and seed mottle.

This does not mean that variety 92B74 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 92B74 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

If the maturity groups were divided into tenths, the relative maturity for 92B74 would be 2.7.

- nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definition.

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at 202-720-2600 (voice and TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

SD-470-E

 $\{07-97\}$

(Destroy previous editions)

Electronic version designed using WordPerfect InForms by USDA-AMS-IMB,